



1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name Cynamic Chlorinated Skinny

Other means of identification

Product Code X000723
UN/ID No UN3266
Document 000723CG1-4/ 000723CG5/ 000723CG55/ 001675C2L2/ 001675C2L6

Recommended use of the chemical and restrictions on use

Recommended use Foaming Alkaline Degreaser

Details of the supplier of the safety data sheet

Distributor

Cynamic Chemical
 1472 Louis Bork Drive
 Batavia, IL 60510

Emergency telephone number

24 Hour Emergency Phone Number INFOTRAC: 1-800-535-5053 (NORTH AMERICA)
 1-352-323-3500 (INTERNATIONAL)

Company Phone Number 630-761-8770

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1

Label elements

Emergency Overview

Danger

Hazard Statements

Causes severe skin burns and eye damage



Appearance Transparent

Physical state Liquid

Odor Chlorine

Precautionary Statements - Prevention

- Do not breathe dust/fume/gas/mist/vapors/spray
- Wash face, hands and any exposed skin thoroughly after handling
- Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

- Immediately call a POISON CENTER or doctor/physician
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- Wash contaminated clothing before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)**Other information**

- May be harmful if swallowed
- Toxic to aquatic life with long lasting effects
- Toxic to aquatic life

Unknown Acute Toxicity

2.8% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Chemical Name	CAS-No	Weight-%	Trade Secret
Potassium hydroxide	1310-58-3	1% - 10%	*
Pentasodium triphosphate	7758-29-4	1% - 10%	*
Sodium hypochlorite	7681-52-9	0.1% - 1.0%	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures for different exposure routes

General advice	Show this safety data sheet to the doctor in attendance.
Eye contact	Immediately flush with plenty of cool water under low pressure. Flush continuously for at least 15 minutes. Hold eyelids open and move eye while flushing. Seek medical attention immediately.
Skin contact	Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing before re-use. Call a physician immediately.
Inhalation	If victim shows signs of discomfort or irritation, remove to fresh air. If symptoms persist, get immediate medical attention. .
Ingestion	DO NOT induce vomiting. Give large amounts of water if victim is conscious. Never give anything by mouth to an unconscious person. Get medical attention immediately.
Protection of First-aiders	Do not use mouth-to-mouth method if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Most important symptoms/effects, acute and delayed

Main Symptoms The most important known symptoms and effects are described in the labelling in section 2 and/or in section 11.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES**Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No information available.

Hazardous Combustion Products Carbon monoxide. Nitrogen oxides (NOx). Chlorine gas & related toxic gases.

Explosion Data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES**Personal precautions, protective equipment and emergency procedures**

Personal precautions Ensure adequate ventilation. Use personal protective equipment. Do not get in eyes, on skin, or on clothing.

Other information Common Weak Acids suitable for neutralizing caustic alkalis: acetic acid, citric acid, lemon juice, tartaric acid, vinegar.

Environmental precautions

Environmental precautions Keep out of waterways. See Section 12 for additional Ecological Information.

Methods and materials for containment and cleaning up

Methods for Containment Contain spill with inert, non-combustible materials.

Methods for cleaning up Neutralise with a weak acid. Mop up & flush neutralized material to sewer with plenty of water.

7. HANDLING AND STORAGE**Precautions for safe handling**

Advice on safe handling Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet facilities. Wash thoroughly after work using soap and water. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Technical measures/Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Store away from

conditions strong acids, aluminum, and other reactive metals.

Incompatible products Strong oxidizing agents. Ammonia. Aluminum, Tin, Zinc, and Acids.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines Review Section 3 & 4 for Exposure Guidelines.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Potassium hydroxide 1310-58-3	2 mg/m ³	2 mg/m ³	Ceiling: 2 mg/m ³
Pentasodium triphosphate 7758-29-4	-	15mg/m ³	-

NIOSH IDLH: *Immediately Dangerous to Life or Health*

Appropriate engineering controls

Engineering Measures Ensure adequate ventilation, especially in confined areas

Individual protection measures, such as personal protective equipment

Eye/Face Protection Splash-proof chemical goggles or face shield.

Skin and body protection Impervious rubber, alkali-proof protective gloves. Impervious rubber boots & apron..

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene measures Practice good personal hygiene. Wash after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and chemical properties

Physical state	Liquid	Odor	Chlorine
Appearance	Transparent	Odor Threshold	No information available
Color	Colorless		
Property	Values	Remarks • Methods	
pH	13.5 ± 0.5		
Melting/freezing point	No information available		
Boiling point/boiling range	~ 100 °C / 212 °F		
Flash Point	No information available		
Evaporation rate	No information available		
Flammability (solid, gas)	No information available		
Flammability Limits in Air			
Upper flammability limit	No information available		
Lower flammability limit	No information available		
Vapor pressure	No information available		
Vapor density	No information available		
Specific Gravity	1.1284 ± 0.005		
Water solubility	Completely soluble.		
Solubility in other solvents	No information available		
Partition coefficient: n-octanol/water	No information available		
Autoignition temperature	No information available		
Decomposition temperature	No information available		
Viscosity, kinematic	No information available		
Viscosity, dynamic	No information available		
Explosive properties	Not explosive		
Oxidizing Properties	Mild Oxidizer		

Other information

Softening point N/A
 Molecular Weight N/A
 VOC Content(%) None
 Density VALUE N/A
 Bulk Density VALUE N/A

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to Avoid

Extremes of temperature and direct sunlight.

Incompatible Materials

Strong oxidizing agents. Ammonia. Aluminum, Tin, Zinc, and Acids.

Hazardous Decomposition Products

Hazardous decomposition products formed under fire conditions: Hypochlorous Acid (HOCl), Chlorine, Hydrogen Chloride (HCl), Sodium Chlorate (NaClO₄), Oxygen. Carbon monoxide (CO). Nitrogen oxides (NO_x).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Causes severe skin burns and eye damage

Inhalation Vapors may irritate throat and respiratory system. Excessive inhalation may cause headache or dizziness.

Eye contact Corrosive to the eyes and may cause severe damage including blindness.

Skin contact Contact causes severe skin irritation and possible burns.

Ingestion Corrosive - causes severe burns to gastrointestinal tract.

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
Potassium hydroxide 1310-58-3	= 284 mg/kg (Rat)	-	-
Pentasodium triphosphate 7758-29-4	= 3100 mg/kg (Rat)	> 7940 mg/kg (Rabbit)	-
Sodium hypochlorite 7681-52-9	= 8200 mg/kg (Rat)	> 10000 mg/kg (Rabbit)	-

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.
Mutagenic effects No information available.
Carcinogenicity This product contains one or more substances which are classified by IARC as carcinogenic to humans (Group I), probably carcinogenic to humans (Group 2A) or possibly carcinogenic to humans (Group 2B).

Chemical Name	ACGIH	IARC	NTP	OSHA
Sodium hypochlorite 7681-52-9	-	Group 3	-	-

*IARC: (International Agency for Research on Cancer)
 Group 3 - Not Classifiable as to Carcinogenicity in Humans*

Reproductive toxicity No information available.
STOT - single exposure No information available.

STOT - repeated exposure No information available.
Chronic toxicity No information available.
Aspiration hazard No information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 2.8% of the mixture consists of ingredient(s) of unknown toxicity
The following values are calculated based on chapter 3.1 of the GHS document .
ATEmix (oral) 4461 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

7.7% of the mixture consists of component(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Potassium hydroxide 1310-58-3	-	80: 96 h Gambusia affinis mg/L LC50 static	-
Pentasodium triphosphate 7758-29-4	-	1650: 48 h Leuciscus idus mg/L LC50	-
Sodium hypochlorite 7681-52-9	0.095: 24 h Skeletonema costatum mg/L EC50	0.18 - 0.22: 96 h Oncorhynchus mykiss mg/L LC50 static 4.5 - 7.6: 96 h Pimephales promelas mg/L LC50 static 0.4 - 0.8: 96 h Lepomis macrochirus mg/L LC50 static 0.28 - 1: 96 h Lepomis macrochirus mg/L LC50 flow-through 0.05 - 0.771: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 0.03 - 0.19: 96 h Oncorhynchus mykiss mg/L LC50 semi-static 0.06 - 0.11: 96 h Pimephales promelas mg/L LC50 flow-through	0.033 - 0.044: 48 h Daphnia magna mg/L EC50 Static 2.1: 96 h Daphnia magna mg/L EC50

Persistence and degradability

Decomposes over time in the environment.

Bioaccumulation

Not likely to bioaccumulate.

Mobility

Will likely be mobile in the environment due to its water solubility but will likely degrade over time.

Chemical Name	Partition coefficient
Potassium hydroxide 1310-58-3	0.65 0.83

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment

Waste Disposal Methods Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Potassium hydroxide	Toxic Corrosive

1310-58-3	
-----------	--

14. TRANSPORT INFORMATION

Note May be shipped as limited quantity.

DOT Regulated

UN/ID No UN3266

Proper shipping name Corrosive Liquid, Basic, Inorganic, n.o.s. (Potassium Hydroxide)

Hazard class 8

Packing Group II

Emergency Response Guide Number 154

15. REGULATORY INFORMATION

International Inventories

TSCA Complies

DSL/NDSL Complies

EINECS/ELINCS Complies

ENCS -

IECSC Complies

KECL Complies

PICCS Complies

AICS Complies

Legend:

TSCA - All components of this product are listed or are exempt or excluded from listing on the United States Toxic Substances Control Act Section 8(b) Inventory.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	no
Fire Hazard	no
Sudden Release of Pressure Hazard	no
Reactive Hazard	Yes

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances

Potassium hydroxide 1310-58-3	1000 lb	-	-	X
Sodium hypochlorite 7681-52-9	100 lb	-	-	X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Potassium hydroxide 1310-58-3	1000 lb	-	RQ 1000 lb final RQ RQ 454 kg final RQ
Sodium hypochlorite 7681-52-9	100 lb	-	RQ 100 lb final RQ RQ 45.4 kg final RQ

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product contains substances regulated by state right-to-know regulations.

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Potassium hydroxide 1310-58-3	X	X	X
Pentasodium triphosphate 7758-29-4	-	-	X
Sodium hypochlorite 7681-52-9	X	X	X

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION

NFPA	Health Hazards 3	Flammability 0	Instability 0	Physical and chemical hazards COR
HMIS	Health hazard 3	Flammability 0	Physical Hazards 1	Personal protection X

Prepared By Cynamic Chemical
1472 Louis Bork Drive
Batavia, IL 60510

Issue Date 14-Jan-2016

Issue Note
1

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet