

SAFETY DATA SHEET

Issuing date 12-Dec-2016 Version 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name Cynamic Foreman RTU

Other means of identification

 Product Code
 X006511

 Document
 006511C1Q12

Recommended use of the chemical and restrictions on use

Recommended useHeavy duty fast acting solvent degreaser

Details of the supplier of the safety data sheet

Distributor

Cynamic Chemical Company 1472 Louis Bork Drive Batavia, IL 60510

Emergency telephone number INFOTRAC: 1-800-535-5053 (NORTH AMERICA)

1-352-323-3500 (INTERNATIONAL)

Company Phone Number 1-630-761-8770

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Inhalation (Gases)	Category 4
Serious eye damage/eye irritation	Category 2
Flammable liquids	Category 4

Label elements

Emergency Overview

Warning

Hazard Statements

Harmful if inhaled
Causes serious eye irritation
Combustible liquid



Appearance Opaque Physical state Liquid Odor Citrus

Precautionary Statements - Prevention

- Avoid breathing dust/fume/gas/mist/vapors/spray
- · Use only outdoors or in a well-ventilated area

•

Issue Date 12-Dec-2016

- · Wash face, hands and any exposed skin thoroughly after handling
- Wear protective gloves/protective clothing/eve protection/face protection
- · Keep away from heat/sparks/open flames/hot surfaces. No smoking

Precautionary Statements - Response

- IF exposed or concerned: Get medical advice/attention
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- · IF ON SKIN: Wash with plenty of soap and water
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor/physician if you feel unwell
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other information

Unknown Acute Toxicity

1.101% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Chemical Name	CAS-No	Weight-%	Trade Secret
Butoxyethanol	111-76-2	1% - 10%	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures for different exposure routes

General advice Show this safety data sheet to the doctor in attendance.

Eye contact Immediately flush eye with plenty of cool, running water. Remove contact lenses if

applicable, and continue flushing for at least 15 minutes, holding eyelids apart to ensure

thorough rinsing of the entire eye. GET IMMEDIATE MEDICAL ATTENTION.

Skin contact Wash off immediately with plenty of water for at least 15 minutes. Remove and wash

contaminated clothing before re-use. If skin irritation persists, see a physician.

Inhalation Move to fresh air. If symptoms persist, call a physician.

Ingestion Do not induce vomiting unless directed by a physician. If conscious and alert, give two

glasses of water. Seek medical attention immediately.

Most important symptoms/effects, acute and delayed

Main Symptoms The most important known symptoms and effects are described in the labelling in section 2

and/or in section 11.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Dry chemical, carbon dioxide, or water fog.

Unsuitable Extinguishing Media This product contains alcohols which will reduce the effectiveness of normal foam. Use

alcohol-resistant foam instead.

Specific hazards arising from the chemical

No information available.

Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Avoid contact with skin, eyes and clothing. Use personal

protective equipment. ELIMINATE all ignition sources (no smoking, flares, sparks or flames

in immediate area).

Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas. See Section 12 for

additional Ecological Information.

Methods and materials for containment and cleaning up

Methods for Containment Contain spill with inert, non-combustible materials. Prevent further leakage or spillage if

safe to do so.

Methods for cleaning up Soak up with inert absorbent material. Use clean non-sparking tools to collect material and

place it into loosely covered plastic containers for later disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or

using toilet facilities. Wash thoroughly after work using soap and water. Do not eat, drink or smoke when using this product. Keep away from heat, sparks and open flame. No smoking.

Conditions for safe storage, including any incompatibilities

Technical measures/Storage

conditions

Keep away from open flames, hot surfaces and sources of ignition. Keep container in cool well-ventilated area. Keep container tightly closed. Store away from incompatible materials.

Keep out of the reach of children.

Incompatible products Strong oxidizing agents. Strong acids.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines Review Section 3 & 4 for Exposure Guidelines.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Butoxyethanol	TWA: 20 ppm	TWA: 50 ppm	IDLH: 700 ppm
111-76-2		TWA: 240 mg/m ³	TWA: 5 ppm
		S*	TWA: 24 mg/m ³

NIOSH IDLH: Immediately Dangerous to Life or Health

Appropriate engineering controls

Engineering Measures Ensure adequate ventilation and that running water is available for washing eyes and skin Individual protection measures, such as personal protective equipment

Eye/Face Protection Splash-proof chemical goggles or face shield.

Solvent-resistant apron and boots. Solvent-proof gloves. Skin and body protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved Respiratory protection

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Do not eat, drink or smoke when using this product. Practice good personal hygiene. Wash Hygiene measures

after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and chemical properties

Liquid Physical state

Appearance Opaque Odor Citrus

No information available Color Opal Green **Odor Threshold**

Property Values Remarks • Methods

 12.5 ± 0.5 Hq

Melting/freezing point No information available

Boiling point/boiling range 100 °C / 212 °F Flash Point > 71.1 °C / > 160 °F

TCC **Evaporation rate** Same as water

Flammability (solid, gas) No information available

Flammability Limits in Air

Upper flammability limit No information available Lower flammability limit No information available

Vapor pressure NE

Vapor density NE

Specific Gravity $1.004 \pm .005$ Water solubility Completely soluble. Solubility in other solvents No information available Partition coefficient: n-octanol/waterNo information available No information available **Autoignition temperature Decomposition temperature** No information available Viscosity, kinematic No information available

Viscosity, dynamic No information available **Explosive properties** No information available **Oxidizing Properties** No information available

Other information

Softening point No information available **Molecular Weight** No information available

VOC Content(%) 6.8%

Density VALUE No information available **Bulk Density VALUE** No information available

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to Avoid

Heat, flames and sparks.

Incompatible Materials

Strong oxidizing agents. Strong acids. **Hazardous Decomposition Products**

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Harmful by inhalation Causes serious eye irritation

Inhalation Inhalation of vapors in high concentration may cause irritation of the respiratory system.

May cause central nervous system depression with nausea, headache, dizziness, and

incoordination.

Eye contact Severely irritating to eyes.

Skin contact Irritating to skin. May be absorbed through the skin in harmful amounts.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May cause

additional affects as listed under "Inhalation".

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
Butoxyethanol 111-76-2	= 470 mg/kg (Rat)	= 99 mg/kg (Rabbit)	= 450 ppm (Rat) 4 h

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No information available. Sensitization No information available. **Mutagenic effects**

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Butoxyethanol	A3	Group 3	-	-
111-76-2		•		

ACGIH: (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC: (International Agency for Research on Cancer) Group 3 - Not Classifiable as to Carcinogenicity in Humans

No information available. Reproductive toxicity STOT - single exposure No information available. STOT - repeated exposure No information available. **Aspiration hazard** No information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 1.101% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 6862 mg/kg

ATEmix (dermal) 4412 mg/kg
ATEmix (inhalation-gas) 10294 mg/l
ATEmix (inhalation-dust/mist) 22.1 mg/l
ATEmix (inhalation-vapor) 6618 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

1.101% of the mixture consists of components(s) of unknown hazards to the aquatic environment

	Chemical Name	Algae/aquatic plants	Fish	Crustacea
	Butoxyethanol	-	1490: 96 h Lepomis macrochirus	1698 - 1940: 24 h Daphnia magna
-	111-76-2		mg/L LC50 static 2950: 96 h	mg/L EC50 >1000: 48 h Daphnia
			Lepomis macrochirus mg/L LC50	magna mg/L EC50

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical Name	Partition coefficient
Butoxyethanol	0.81
111-76-2	

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment

Waste Disposal Methods Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. TRANSPORT INFORMATION

DOT Not regulated

Proper shipping name Cleaning Compound, Not Regulated

15. REGULATORY INFORMATION

International Inventories

TSCA DSL/NDSL EINECS/ELINCS -

ENCS Does not Comply

IECSC -

000258 Cynamic Foreman RTU

KECL PICCS

AICS Complies

Legend:

TSCA - All components of this product are listed or are exempt or excluded from listing on the United States Toxic Substances Control Act Section 8(b) Inventory.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	SARA 313 - Threshold Values %
Butoxyethanol - 111-76-2	1.0
SARA 311/312 Hazard Categories	
Acute Health Hazard	Yes
Chronic Health Hazard	no

Shronic Health Hazard Fire Hazard Yes Sudden Release of Pressure Hazard no **Reactive Hazard** no

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product contains substances regulated by state right-to-know regulations.

Chemical Name	Pennsylvania			
Butoxyethanol 111-76-2	X	X	X	
16 OTHER INFORMATION				

Health Hazards 2 Instability 0 Physical and chemical NFPA Flammability 0 hazards -

Personal protection X **HMIS** Health hazard 2 Flammability 0 **Physical Hazards** 0

Cynamic Chemical Company Prepared By 1472 Louis Bork Drive

Batavia, IL 60510

12-Dec-2016 Issuing date

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet