

# **SAFETY DATA SHEET**

Issuing date 10-Jan-2013 Revision Date 16-Jul-2015 Version 4

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name Cynamic Pex Carb

Other means of identification

 Product Code
 X003073

 UN/ID No
 UN3266

 Document
 003073CG1-4

Recommended use of the chemical and restrictions on use

Recommended use Ready To Use Oven & Grill Cleaner

Details of the supplier of the safety data sheet

Distributor

Cynamic Chemical 1472 Louis Bork Drive Batavia, IL 60510

**Emergency telephone number** 

24 Hour Emergency Phone Number INFOTRAC: 1-800-535-5053 (NORTH AMERICA)

1-352-323-3500 (INTERNATIONAL)

Company Phone Number 630-761-8770

# 2. HAZARDS IDENTIFICATION

### Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1

#### Label elements

### **Emergency Overview**

# Danger

#### Hazard Statements

Causes severe skin burns and eye damage



Appearance Transparent

Physical state Liquid

Odor Neutral

# **Precautionary Statements - Prevention**

- Do not breathe dust/fume/gas/mist/vapors/spray
- · Wash face, hands and any exposed skin thoroughly after handling
- Wear protective gloves/protective clothing/eye protection/face protection

#### **Precautionary Statements - Response**

- Immediately call a POISON CENTER or doctor/physician
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- · Wash contaminated clothing before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

# **Precautionary Statements - Storage**

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

Other information

Unknown Acute Toxicity 1.3323% of the mixture consists of ingredient(s) of unknown toxicity

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Chemical Name	CAS-No	Weight-%	Trade Secret
Potassium hydroxide	1310-58-3	1% - 10%	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

#### 4. FIRST AID MEASURES

#### First aid measures for different exposure routes

**General advice** Show this safety data sheet to the doctor in attendance.

**Eye contact** Immediately flush eye with plenty of cool, running water. Remove contact lenses if

applicable, and continue flushing for at least 15 minutes, holding eyelids apart to ensure

thorough rinsing of the entire eye. GET IMMEDIATE MEDICAL ATTENTION.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. If skin irritation persists, see a physician.

Inhalation If qualified give oxygen or artificial respiration as needed. Symptoms may develop after

several hours. If symptoms persist, call a physician.

**Ingestion** DO NOT induce vomiting. Give large amounts of water if victim is conscious. Never give

anything by mouth to an unconscious person. Get medical attention immediately.

**Protection of First-aiders**Do not use mouth-to-mouth method if victim ingested or inhaled the substance; induce

artificial respiration with the aid of a pocket mask equipped with a one-way valve or other

proper respiratory medical device.

#### Most important symptoms/effects, acute and delayed

Main Symptoms The most important known symptoms and effects are described in the labelling in section 2

and/or in section 11.

#### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically. Symptoms may be delayed. Product is a corrosive material. Use of

gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and

high pulse pressure.

# 5. FIRE-FIGHTING MEASURES

### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media CAUTION: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

No information available.

**Explosion Data** 

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes and clothing. Use personal protective equipment. Ensure

adequate ventilation. Avoid breathing in spray mist or vapors.

**Environmental precautions** 

**Environmental precautions** Keep out of waterways. Neutralization is normally necessary before waste water is

discharged into water treatment plants. See Section 12 for additional Ecological

Information.

Methods and materials for containment and cleaning up

Methods for Containment Dike to contain spill and prevent entry into sewers, waterways, and low areas. Neutralize

with dilute acid.

Methods for cleaning up Mop up & flush neutralized material to sewer with plenty of water.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

**Advice on safe handling** Do not eat, drink or smoke when using this product. Use good personal hygiene practices.

Wash hands before eating, drinking, smoking, or using toilet facilities. Wash thoroughly after work using soap and water. Ensure adequate ventilation. Wear personal protective

equipment. Do not breathe vapors or spray mist.

# Conditions for safe storage, including any incompatibilities

**Technical measures/Storage** 

conditions

Keep container in cool well ventilated area. Store away from incompatible materials. Keep

out of the reach of children.

**Incompatible products**Acids, organohalogens, organonitro compounds, oxidizers, reactive metals (aluminum, zinc,

tin, alloys containing these metals).

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

**Exposure Guidelines** Review Section 3 & 4 for Exposure Guidelines.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Potassium hydroxide 1310-58-3	2 mg/m³	2 mg/m³	Ceiling: 2 mg/m <sup>3</sup>

NIOSH IDLH: Immediately Dangerous to Life or Health

Appropriate engineering controls

Engineering Measures Ensure adequate ventilation, especially in confined areas Ensure that eyewash stations and

safety showers or an equivalent method of decontamination are close to the work location.

Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Splash-proof chemical goggles or face shield.

**Skin and body protection** Impervious rubber, alkali-proof protective gloves. Impervious rubber boots & apron..

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

Odor

Similar to water

Neutral

provided in accordance with current local regulations.

**Hygiene measures**Do not eat, drink or smoke when using this product. Wash hands and face before breaks

and immediately after handling the product.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

### Physical and chemical properties

Physical state Liquid Appearance Transparent

ColorRedOdor ThresholdNo information available

Property Values Remarks • Methods

pH 13.2 ± 0.5

Melting/freezing pointNo information availableBoiling point/boiling range~ 100 °C / 212 °F

Flash Point No information available Evaporation rate No information available

Flammability (solid, gas) No information available

Flammability Limits in Air

Upper flammability limit
Lower flammability limit
Vapor pressure
Vapor density

No information available
No information available
No information available
No information available

Vapor density

Specific Gravity

No information available

1.051 ± 0.005

Completely Soluble

No information available

Explosive properties Not explosive Oxidizing Properties not applicable

Other information

 Softening point
 N/A

 Molecular Weight
 N/A

 VOC Content(%)
 Negligible

 Density VALUE
 N/A

 Bulk Density VALUE
 N/A

# 10. STABILITY AND REACTIVITY

### **Chemical stability**

Stable under recommended storage conditions.

# Possibility of hazardous reactions

None under normal processing.

### **Conditions to Avoid**

Extremes of temperature and direct sunlight.

### **Incompatible Materials**

Acids, organohalogens, organonitro compounds, oxidizers, reactive metals (aluminum, zinc, tin, alloys containing these metals).

### **Hazardous Decomposition Products**

Hydrogen gas in contact with some metals.

### 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

Product Information Causes severe skin burns and eye damage

**Inhalation** Corrosive by inhalation.

**Eye contact** Corrosive to the eyes and may cause severe damage including blindness.

**Skin contact** Contact causes severe skin irritation and possible burns.

Ingestion Causes gastrointestinal tract burns. Causes severe pain, nausea, vomiting, diarrhea, and

shock.

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
Potassium hydroxide 1310-58-3	= 284 mg/kg(Rat)	-	-

# Information on toxicological effects

**Symptoms** No information available.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization**No information available. **Mutagenic effects**No information available.

**Carcinogenicity** Contains no ingredient listed as a carcinogen.

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

Chronic toxicity Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and

sensitization of susceptible persons.

Aspiration hazard No information available.

# Numerical measures of toxicity - Product Information

**Unknown Acute Toxicity** 1.3323% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document.

ATEmix (oral) 3226 mg/kg

# 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

1.3323% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Potassium hydroxide	-	80: 96 h Gambusia affinis mg/L	-
1310-58-3		LC50 static	

# Persistence and degradability

No information available.

#### Bioaccumulation

No information available.

Chemical Name	Partition coefficient
Potassium hydroxide	0.65
1310-58-3	0.83

Other adverse effects No information available

# 13. DISPOSAL CONSIDERATIONS

**Waste treatment** 

Waste Disposal Methods Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**Contaminated packaging** Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Potassium hydroxide	Toxic Corrosive
1310-58-3	

# 14. TRANSPORT INFORMATION

DOT Regulated UN3266

Proper shipping name Corrosive Liquid, Basic, Inorganic, n.o.s. (Potassium Hydroxide)

Hazard class 8
Packing Group II
Emergency Response Guide 154

Number

# 15. REGULATORY INFORMATION

**International Inventories** 

TSCA - DSL/NDSL -

EINECS/ELINCS

**ENCS** Does not Comply

IECSC -

KECL -

AICS Complies

#### Legend:

TSCA - All components of this product are listed or are exempt or excluded from listing on the United States Toxic Substances Control Act Section 8(b) Inventory.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

#### SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	no
Fire Hazard	no
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

#### **Clean Water Act**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Potassium hydroxide 1310-58-3	1000 lb	-	-	Х

#### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Potassium hydroxide 1310-58-3	1000 lb	-	RQ 1000 lb final RQ RQ 454 kg final RQ

### **U.S. State Regulations**

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

# U.S. State Right-to-Know Regulations

This product contains substances regulated by state right-to-know regulations.

Chemical Name	New Jersey	Massachusetts	Pennsylvania		
Potassium hydroxide	X	X	X		
1310-58-3					
16. OTHER INFORMATION					

NFPA	Health Hazards 3	Flammability 0	Instability 1	Physical and chemical hazards COR
HMIS	Health hazard 3	Flammability 0	Physical Hazards 1	Personal protection X

Prepared By Cynamic Chemical

1472 Louis Bork Drive Batavia, IL 60510

\_\_\_\_\_

Issuing date 10-Jan-2013
Revision Date 16-Jul-2015
Revision Note

4

# **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**